

## RISE MULTI-HEAD PART NUMBER DESIGNATION

Must be submitted with all Multi-Head orders where heads have difference configurations.

### PROJECT INFORMATION

Date: \_\_\_\_\_

Project Name: \_\_\_\_\_

EcoSense Quote #: \_\_\_\_\_

Distributor's Company Name: \_\_\_\_\_

Distributor's PO #: \_\_\_\_\_

Specifier's Name: \_\_\_\_\_

Specifier's Location: \_\_\_\_\_

### SHIPPING INFORMATION

Name: \_\_\_\_\_

Company: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip Code: \_\_\_\_\_

Phone #: \_\_\_\_\_

## RISE SPECIFICATION AND PART NUMBER DESIGNATION

Power/Lumen Output, CRI, and Finishes must be the same for all heads.


FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUTPUT	CCT/COLOR	CRI	BEAM ANGLE	FINISHES	ACCESSORIES	WIRING AND MOUNTING
F080	2V	LO - Low Output	22 - 2200K	8 - 80	05 - Laser Spot (5°)	K - Black	X - No Accessory	C - 10' External Cable Bottom
F170	2H	MO - Medium Output	25 - 2500K	9 - 90*	10 - Very Narrow Spot (10°)	Z - Bronze	H - Half Snoot	Exit; Surface Mount - 1/2" NPT
	4M	HO - High Output	27 - 2700K	X - For RD, GR, BL, AM	15 - Narrow Spot (15°)	S - Silver	F - Full Snoot	: UL/CE Rated
	4F		30 - 3000K		20 - Spot (20°)	W - White	C - Custom	
	5T		35 - 3500K		40 - Flood (40°)	C - Custom*		
	5B		40 - 4000K	*90 CRI not available	60 - Wide Flood (60°)			
			50 - 5000K	in 2200K, 2500K, 5000K, and 6500K	80 - Very Wide Flood (80°)	*Select color at Pantone.com		
			65 - 6500K		E1 - Elliptical 1 (15°x60°)			
			RD - Red		E2 - Elliptical 2 (30°x60°)			
			GR - Green		E3 - Elliptical 3 (60°x15°)			
			BL - Blue		E4 - Elliptical 4 (60°x30°)			
			AM - Amber					

### F080 DUO (F080-2V)

FILL IN YOUR PART #:

**F080-2V-POWER-CCT-CRI-BEAM ANGLE-FINISH-ACCESSORIES-WIRING**

POWER/LUMEN OUTPUT	FINISHES	CRI	NOTES:



#### HEAD #3

FIXTURE MODEL	FIXTURE CONFIG.	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F080	2V				C

#### HEAD #4

FIXTURE MODEL	FIXTURE CONFIG.	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F080	2V				C

ECOSENSE LIGHTING INC.  
837 NORTH SPRING STREET  
SUITE 103  
LOS ANGELES CA, 90012


P • 310.496.6255  
F • 310.496.6256  
T • 855.632.6736  
855.6.ECOSEN

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE. VISIT [ECOSENSELIGHTING.COM](http://ECOSENSELIGHTING.COM) FOR THE MOST CURRENT SPECIFICATIONS. FOR A LIST OF PATENTS VISIT [ECOSENSELIGHTING.COM/IP-PORTFOLIO/](http://ECOSENSELIGHTING.COM/IP-PORTFOLIO/) ©2017 ECOSENSE LIGHTING INC. ALL RIGHTS RESERVED. ECOSENSE, THE ECOSENSE LOGO, TROV, TROV AND ECOSPEC ARE REGISTERED TRADEMARKS OF ECOSENSE LIGHTING INC. RISE®, SLIM COVE™, FREEDOM TO CREATE™, MACRO™, FLIP-TO-FLAT™ ARE TRADEMARKS OF ECOSENSE LIGHTING INC.

[ECOSENSELIGHTING.COM](http://ECOSENSELIGHTING.COM)

1/6

ORDERING



**F080-DUO (F080-2H)**

FILL IN YOUR PART #:

**F080-2H-POWER-CCT-CRI-BEAM ANGLE-FINISH-ACCESSORIES-WIRING**


<b>POWER/ LUMEN OUTPUT</b>	<b>FINISHES</b>	<b>CRI</b>	<b>NOTES:</b>

**HEAD #1**

FIXTURE MODEL	FIXTURE CONFIG.	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F080	2H				C

**HEAD #3**

FIXTURE MODEL	FIXTURE CONFIG.	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F080	2H				C



**F080-QUAD (F080-4M)**

FILL IN YOUR PART #:

**F080-4M-POWER-CCT-CRI-BEAM ANGLE-FINISH-ACCESSORIES-WIRING**

<b>POWER/ LUMEN OUTPUT</b>	<b>FINISHES</b>	<b>CRI</b>	<b>NOTES:</b>

**HEAD #1**

FIXTURE MODEL	FIXTURE CONFIG.	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F080	4M				C

**HEAD #2**

FIXTURE MODEL	FIXTURE CONFIG.	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F080	4M				C

**HEAD #3**

FIXTURE MODEL	FIXTURE CONFIG.	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F080	4M				C

**HEAD #4**

FIXTURE MODEL	FIXTURE CONFIG.	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F080	4M				C

ORDERING

HEAD #3

HEAD #4



**F170-DUO (F170-2V)**

FILL IN YOUR PART #:

**F170-2V-POWER-CCT-CRI-BEAM ANGLE-FINISH-ACCESSORIES-C**

POWER/ LUMEN OUTPUT	FINISHES	CRI	NOTES:

**HEAD #3**

FIXTURE MODEL	FIXTURE CONFIG.	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F170	2V				C

**HEAD #4**

FIXTURE MODEL	FIXTURE CONFIG.	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F170	2V				C

HEAD #1

HEAD #3



**F170-DUO (F170-2H)**

FILL IN YOUR PART #:

**F170-2H-POWER-CCT-CRI-BEAM ANGLE-FINISH-ACCESSORIES-C**

POWER/ LUMEN OUTPUT	FINISHES	CRI	NOTES:


**HEAD #3**

FIXTURE MODEL	FIXTURE CONFIG.	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F170	2H				C

**HEAD #4**

FIXTURE MODEL	FIXTURE CONFIG.	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F170	2H				C

ORDERING



**F170-QUAD (F170-4F)**

FILL IN YOUR PART #:

**F170-4F-POWER-CCT-CRI-BEAM ANGLE-FINISH-ACCESSORIES-C**

POWER/ LUMEN OUTPUT	FINISHES	CRI	NOTES:

**HEAD #1**

FIXTURE MODEL	FIXTURE CONFIG.	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F170	4F				C

**HEAD #2**

FIXTURE MODEL	FIXTURE CONFIG.	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F170	4F				C


**HEAD #3**

FIXTURE MODEL	FIXTURE CONFIG.	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F170	4F				C

**HEAD #4**

FIXTURE MODEL	FIXTURE CONFIG.	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F170	4F				C

ORDERING



**F380-COMBO (F380-5T)**

FILL IN YOUR PART #:

**F380-5T-POWER-CCT-CRI-BEAM ANGLE-FINISH-ACCESSORIES-C**

<b>POWER/ LUMEN OUTPUT</b>	<b>FINISHES</b>	<b>CRI</b>	<b>NOTES:</b>

**HEAD #1**

FIXTURE MODEL	FIXTURE CONFIG.	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F380	5T				C

**HEAD #2**

FIXTURE MODEL	FIXTURE CONFIG.	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F380	5T				C

**HEAD #3**

FIXTURE MODEL	FIXTURE CONFIG.	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F380	5T				C


**HEAD #4**

FIXTURE MODEL	FIXTURE CONFIG.	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F380	5T				C

**HEAD #5**

FIXTURE MODEL	FIXTURE CONFIG.	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F380	5T				C

ORDERING



**F380-COMBO (F380-5B)**

FILL IN YOUR PART #:

**F380-5B-POWER-CCT-CRI-BEAM ANGLE-FINISH-ACCESSORIES-C**

<b>POWER/ LUMEN OUTPUT</b>	<b>FINISHES</b>	<b>CRI</b>	<b>NOTES:</b>

**HEAD #1**

FIXTURE MODEL	FIXTURE CONFIG.	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F380	5T				C

**HEAD #2**

FIXTURE MODEL	FIXTURE CONFIG.	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F380	5T				C

**HEAD #3**

FIXTURE MODEL	FIXTURE CONFIG.	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F380	5T				C

**HEAD #4**

FIXTURE MODEL	FIXTURE CONFIG.	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F380	5T				C

**HEAD #5**

FIXTURE MODEL	FIXTURE CONFIG.	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F380	5T				C