



ORDERING INFORMATION		EXAMPLE: WSH-M-30-120-IC-WH-11		
<i>WSH-M</i> - - - - 11				
MODEL	CCT	VOLTAGE	FINISH	OPTIC
WSH-M	27 (2700K)	120-IC (100-120VAC) (INTERNAL CABLE WITH 8" LEAD)	WH (WHITE)	11 (11°) (BASE OPTIC)
	30 (3000K)	220-EC (220-240VAC) (EXTERNAL CABLE WITH 4'-0" LEAD)	BK (BLACK)	
	35 (3500K)			
	40 (4000K)	277-IC (277VAC) (INTERNAL CABLE WITH 8" LEAD)		







SPECIAL ORDER CABLE: (CONSULT FACTORY)
EC - EXTERNAL CABLE FOR 100-120VAC PRODUCT (EXAMPLE: WSH-M-CCT-120-EC-FINISH-11)
IC - INTERNAL CABLE FOR 220-240VAC PRODUCT (EXAMPLE: WSH-M-CCT-220-IC-FINISH-11)



ITEM NO.	PART NUMBER	DESCRIPTION	QTY
1	WSH-M-XX-XXX-XX-XX-11	EcoSpec FLOODLIGHT WASH	1PC
2	WSH-M-LSD-XX (-30 / -60 / -80 / -10x60 / -30x60)	ACCESSORY OPTICAL FILM LENS (LSD)	1PC

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ECOSENSE LIGHTING. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ECOSENSE LIGHTING IS PROHIBITED.	ECOSENSE ECOSENSE LIGHTING, INC. 915 WILSHIRE BOULEVARD SUITE 2175 LOS ANGELES, CA 90017 TEL: 888.632.6736 FAX: 212.228.9113 INFO@ECOSENSELIGHTING.COM WWW.ECOSENSELIGHTING.COM	UNLESS OTHERWISE SPECIFIED	DRAWN	DATE	22-03-13	DESCRIPTION EcoSpec FLOODLIGHT WASH				
		DIMENSIONS IN INCHES/MM	CHECKED	DATE	22-03-13					
		.XX ± .01" / .25MM ANGLE ± 1° .XXX ± .005" / .15MM FRACTION ± 1/64" INTERPRET ACCORDING TO ASME Y14.5	MATERIAL	ALUMINUM - GLASS		DWG. NO	FLOODLIGHT WASH - SPEC			
		THIRD ANGLE PROJECTION	FINISH	ELECTROSTATIC POWDER COAT		DO NOT UPDATE MANUALLY	SCALE	1:6	SIZE	A

ACCESSORY HALF VISOR



ADJUSTABLE AIMING
88° FORWARD & 105° REARWARD

ITEM NO.	PART NUMBER	DESCRIPTION	QTY
1	WSH-M-XX-XXX-XX-XX-11	EcoSpec FLOODLIGHT WASH	1PC
2	WSH-M-HV-BK <i>OR</i> WSH-M-HV-WH	ACCESSORY HALF VISOR (BLACK/WHITE)	1PC

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ECOSENSE LIGHTING. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ECOSENSE LIGHTING IS PROHIBITED.



ECOSENSE LIGHTING, INC.
915 WILSHIRE BOULEVARD
SUITE 2175
LOS ANGELES, CA 90017
TEL: 888.632.6736 FAX: 212.228.9113
INFO@ECOSENSELIGHTING.COM
WWW.ECOSENSELIGHTING.COM

UNLESS OTHERWISE SPECIFIED

DIMENSIONS IN
INCHES/MM







.XX ± .01"/.25MM ANGLE ± 1°
.XXX ± .005"/.15MM FRACTION ± 1/64"
INTERPRET ACCORDING TO ASME Y14.5



DRAWN	DATE	22-03-13
CHECKED	DATE	22-03-13
MATERIAL	ALUMINUM - GLASS	
FINISH	ELECTROSTATIC POWDER COAT	

DESCRIPTION			
EcoSpec FLOODLIGHT WASH			
DWG. NO		FLOODLIGHT WASH - SPEC	
DO NOT UPDATE MANUALLY	SCALE 1:6	SIZE A	SHEET 2 OF 3

ACCESSORY FULL VISOR



ADJUSTABLE AIMING
88° FORWARD & 105° REARWARD

ITEM NO.	PART NUMBER	DESCRIPTION	QTY
1	WSH-M-XX-XXX-XX-XX-11	EcoSpec FLOODLIGHT WASH	1PC
2	WSH-M-FV-BK <u>OR</u> WSH-M-FV-WH	ACCESSORY FULL VISOR (BLACK/WHITE)	1PC

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ECOSENSE LIGHTING. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ECOSENSE LIGHTING IS PROHIBITED.



ECOSENSE LIGHTING, INC.
915 WILSHIRE BOULEVARD
SUITE 2175
LOS ANGELES, CA 90017
TEL: 888.632.6736 FAX: 212.228.9113
INFO@ECOSENSELIGHTING.COM
WWW.ECOSENSELIGHTING.COM

UNLESS OTHERWISE SPECIFIED

DIMENSIONS IN
INCHES/MM

.XX ± .01"/.25MM ANGLE ± 1°
.XXX ± .005"/.15MM FRACTION ± 1/64"
INTERPRET ACCORDING TO ASME Y14.5



DRAWN	DATE	22-03-13
CHECKED	DATE	22-03-13
MATERIAL	ALUMINUM - GLASS	
FINISH	ELECTROSTATIC POWDER COAT	

DESCRIPTION			
EcoSpec FLOODLIGHT WASH			
DWG. NO			
FLOODLIGHT WASH - SPEC			
DO NOT UPDATE MANUALLY	SCALE 1:6	SIZE A	SHEET 3 OF 3