

RISE MULTI-HEAD PART NUMBER DESIGNATION

Must be submitted with all Multi-Head orders where heads have difference configurations. Email to CustomRise@ecosenselighting.com

PROJECT INFORMATION

Date: _____

Project Name: _____

EcoSense Quote #: _____

Distributor's Company Name: _____

Distributor's PO #: _____

Specifier's Name: _____

Specifier's Location: _____

SHIPPING INFORMATION

Name: _____

Company: _____

Address: _____

City: _____

State: _____

Zip Code: _____

Phone #: _____

RISE SPECIFICATION AND PART NUMBER DESIGNATION

CRI and Finishes must be the same for all heads.

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUPUT	CCT/COLOR	CRI	BEAM ANGLE	FINISHES	ACCESSORIES	WIRING AND MOUNTING
F080	2V	LO - Low	22 - 2200K	8 - 80	05 - Laser Spot (5°)	K - Black	X - No Accessory	B - 10' External Cable Side Exit; Surface Mount; UL Listed
F170	2H	Output	25 - 2500K	9 - 90*	10 - Very Narrow Spot (10°)	Z - Bronze	H - Half Snoot	
	4M	MO - Medium	27 - 2700K	X - For RD,	15 - Narrow Spot (15°)	S - Silver	F - Full Snoot	
	4F	Output	30 - 3000K	GR, BL, AM	20 - Spot (20°)	W - White	C - Custom	
	5T	HO- High	35 - 3500K		40 - Flood (40°)	C - Custom*		
	5B	Output	40 - 4000K	*90 CRI not available	60 - Medium Flood (60°)	*Select color at Pantone.com		C - 10' External Cable Bottom Exit; Surface Mount - 1/2" NPT; UL Listed
			50 - 5000K	in 2200K, 2500K, 5000K, and 6500K	70 - Wide Flood (70°)			D - 10' External Cable Side Exit; Surface Mount; CE Listed
			65 - 6500K		90 - Very Wide Flood (90°)			E - 10' External Cable Bottom Exit; Surface Mount - 1/2" NPT; CE Listed
			RD - Red		E1 - Elliptical 1 (15°x60°)			
			GR - Green		E2 - Elliptical 2 (30°x60°)			
			BL - Blue		E3 - Elliptical 3 (60°x15°)			
			AM - Amber		E4 - Elliptical 4 (60°x30°)			
			*2200K and 2500K not available in 40°, 60°, 70° and 90°					



F080 DUO (F080-2V)

FILL IN YOUR PART #:

F080-2V-POWER-CCT-CRI-BEAM ANGLE-FINISH-ACCESSORIES-WIRING

FINISHES	CRI	NOTES:
_____	_____	_____
_____	_____	_____

HEAD #3

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUPUT	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F080	2V					

HEAD #4

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUPUT	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F080	2V					

ECOSENSE LIGHTING INC.
837 NORTH SPRING STREET
SUITE 103
LOS ANGELES CA, 90012


P • 310.496.6255
F • 310.496.6256
T • 855.632.6736
855.6.ECOSEN

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE. VISIT ECOSENSELIGHTING.COM FOR THE MOST CURRENT SPECIFICATIONS. FOR A LIST OF PATENTS VISIT ECOSENSELIGHTING.COM/IP-PORTFOLIO/
©2019 ECOSENSE LIGHTING INC. ALL RIGHTS RESERVED. ECOSENSE, THE ECOSENSE LOGO, TROV, TROV AND ECOSPEC ARE REGISTERED TRADEMARKS OF ECOSENSE LIGHTING INC.
RISE®, SLIM COVE™, FREEDOM TO CREATE™, MACRO™, FLIP-TO-FLAT™ ARE TRADEMARKS OF ECOSENSE LIGHTING INC.

ECOSENSELIGHTING.COM

1/6

ORDERING



F080-DUO (F080-2H)

FILL IN YOUR PART #:

F080-2H-POWER-CCT-CRI-BEAM ANGLE-FINISH-ACCESSORIES-WIRING


FINISHES	CRI	NOTES:

HEAD #1

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUTPUT	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F080	2H					

HEAD #3

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUTPUT	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F080	2H					



F080-QUAD (F080-4M)

FILL IN YOUR PART #:

F080-4M-POWER-CCT-CRI-BEAM ANGLE-FINISH-ACCESSORIES-WIRING

FINISHES	CRI	NOTES:

HEAD #1

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUTPUT	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F080	4M					

HEAD #2

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUTPUT	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F080	4M					

HEAD #3

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUTPUT	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F080	4M					

HEAD #4

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUTPUT	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F080	4M					

ECOSENSE LIGHTING INC.
837 NORTH SPRING STREET
SUITE 103
LOS ANGELES CA, 90012

P • 310.496.6255
F • 310.496.6256
T • 855.632.6736
855.6.ECOSEN

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.
VISIT ECOSENSELIGHTING.COM FOR THE MOST CURRENT SPECIFICATIONS.
FOR A LIST OF PATENTS VISIT ECOSENSELIGHTING.COM/IP-PORTFOLIO/
©2019 ECOSENSE LIGHTING INC. ALL RIGHTS RESERVED. ECOSENSE, THE ECOSENSE LOGO, TROV, TROV AND ECOSPEC ARE REGISTERED TRADEMARKS OF ECOSENSE LIGHTING INC.
RISE®, SLIM COVE™, FREEDOM TO CREATE™, MACRO™, FLIP-TO-FLAT™ ARE TRADEMARKS OF ECOSENSE LIGHTING INC.

ECOSENSELIGHTING.COM

2/6

ORDERING

HEAD #3

HEAD #4



F170-DUO (F170-2V)

FILL IN YOUR PART #:

F170-2V-POWER-CCT-CRI-BEAM ANGLE-FINISH-ACCESSORIES-C

FINISHES

CRI

NOTES:

HEAD #3

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUTPUT	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F170	2V					

HEAD #4

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUTPUT	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F170	2V					

HEAD #1

HEAD #3



F170-DUO (F170-2H)

FILL IN YOUR PART #:

F170-2H-POWER-CCT-CRI-BEAM ANGLE-FINISH-ACCESSORIES-C

FINISHES

CRI

NOTES:


HEAD #1

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUTPUT	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F170	2H					

HEAD #3

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUTPUT	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F170	2H					

ORDERING



F170-QUAD (F170-4F)

FILL IN YOUR PART #:

F170-4F-POWER-CCT-CRI-BEAM ANGLE-FINISH-ACCESSORIES-C

FINISHES

CRI

NOTES:

HEAD #1

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUPUT	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F170	4F					

HEAD #2

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUPUT	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F170	4F					


HEAD #3

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUPUT	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F170	4F					

HEAD #4

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUPUT	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F170	4F					

ORDERING



F380-COMBO (F380-5T)

FILL IN YOUR PART #:

F380-5T-POWER-CCT-CRI-BEAM ANGLE-FINISH-ACCESSORIES-C

FINISHES

CRI

NOTES:

HEAD #1

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUPUT	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F380	5T					

HEAD #2

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUPUT	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F380	5T					

HEAD #3

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUPUT	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F380	5T					


HEAD #4

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUPUT	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F380	5T					

HEAD #5

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUPUT	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F380	5T					

ORDERING



F380-COMBO (F380-5B)

FILL IN YOUR PART #:

F380-5B-POWER-CCT-CRI-BEAM ANGLE-FINISH-ACCESSORIES-C

FINISHES

CRI

NOTES:

HEAD #1

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUTPUT	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F380	5B					

HEAD #2

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUTPUT	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F380	5B					

HEAD #3

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUTPUT	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F380	5B					

HEAD #4

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUTPUT	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F380	5B					

HEAD #5

FIXTURE MODEL	FIXTURE CONFIG.	POWER/LUMEN OUTPUT	CCT/COLOR	BEAM ANGLE	ACCESSORIES	WIRING AND MOUNTING
F380	5B					